

# Brugarolas



Industrial Lubricants



## INDUSTRIAL SPRAYS




## INTRODUCTION

**Brugarolas** industrial sprays are created with the most advanced technology, to offer solutions to all those applications that demand the use of a spray system.

According to the ISO 9001 certification lay-out, **Brugarolas** sprays offer the highest quality standards since the very first moment they are manufactured to the final product.

All **Brugarolas** sprays fulfill the tagging and packaging Spanish and European law requirements of spray pressure products. The propellants and co-solvents used are totally environmental safe and do not harm the ozone layer.

If needed, **Brugarolas** offers a highly experienced technical service that will advise customers when choosing the most suitable spray for a specific use.





## SPRAY PRODUCT RANGE

### LUBRICANTS

- **BESLUX AFLOJATODO:** special unblocking anticorrosive oil for assembling and disassembling
- **BESLUX BASIC MULTIUSO:** multipurpose lubricating oil, protects and loosens all kind of mechanisms
- **BESLUX CADENAS:** lubricating oil for high temperature and water repellent chains
- **BESLUX BLANCO CADENAS:** sticky food grade oil with PTFE, for chain lubrication
- **BESLUX RAMCA 220:** synthetic lubricating oil for chains and high temperature guides
- **BESLUX CAMIN 150 WR:** sticky water-repellent mineral oil, for lubricating general mechanisms
- **BESLUX KTS:** cleaning synthetic lubricant oil for high revolution mechanisms
- **BESLUX FLUOR LIQ:** PTFE food grade oil for general lubrication
- **BESSIL F-100:** silicone food grade oil for general lubrication at high temperatures
- **DENSOLINA RVTH:** food grade lubricating oil for food processing applications
- **BESLUX CABLES:** lubricating and protecting grease for all kind of cables
- **BESLUX ENGRANAJES ABIERTOS:** lubricating grease for gears, crowns, cables and others
- **BRADOL CADENAS:** white sticky fluid grease for lubricating water repellent chains
- **BRADOL CADENAS PLUS:** special white fluid grease with high PTFE content for chains
- **BESLUX GRASA SPRAY AD:** highly sticky grease for long life lubrication
- **BESLUX GRASA SPRAY PLEX 778A:** high performance and long life grease
- **BESLUX GRASA SPRAY UNIVERSAL:** synthetic food grade grease with PTFE
- **BESLUX MOLY SPRAY:** anti-seize molybdenum bisulfate dry lubricant, high temperature resistant
- **BESLUX FLUOR TF SPRAY:** lubricating and unmolding lubricant with PTFE (dry film)
- **BESLUX ANTISEIZE SPRAY:** special unblocking, anti-corrosive and conductor paste

### UNMOLDING / PROCESSES / PROTECTIVE / ANTI-ADHERENT

- **BESLUX DESMOLDEANTE DEX-4:** unmolding silicone free for plastic and anti-seize for welding
- **BRUSIL:** unmolding silicone free for plastic and anti-seize for welding
- **BESLUX SOLDADURA:** anti-spatter of welding projections, silicone free
- **BESLUX WELD APS 130:** anti-spatter of welding projections, non-flammable and biodegradable
- **BRADOL LIMPIA MOTOR:** low toxicity degreasing agent with low aromatic content
- **BRADOL TOP CLEANER:** brake, carburetor and electrical contact degreasing
- **BESLUX RK PELABLE:** anticorrosive protective varnish that can be peeled, for all kind of molds and plastics
- **BESLUX ANTI-HUMEDAD:** humidity and corrosion protector for all kind of surfaces, molds and parts



## LUBRICANTS

### BESLUX AFLOJATODO



Special unblocking anticorrosive oil for assembling and disassembling. Unblocks and loosens all kind of screws, bolt, pins, dowels, screwed joints, etc. Frees and untightens blocked mechanisms. Ideal for disassembling parts and rusted pieces. It also protects against posterior corrosion.

520 ml spray

OIL

### BESLUX BASIC MULTIUSO



Multipurpose lubricating, protecting, loosening oil for all kind of mechanisms. Lubricates all kind of industrial lubricants with light mechanical loads; humidity and harsh weather protector, avoiding rust; avoids rust formation and loosens all kind of blocked mechanisms. It can also be used as a rust and metal surface cleaner.

520 ml spray

OIL

### BESLUX CADENAS



Lubricant oil for all kind of chains, strength transmissions, fork trucks, etc. Lubricates high exposed wear points (bushings and bolts), increasing its lifespan. It is water repellent and avoids wear and blocking. It resists temperatures up to 180°C.

520 ml spray

OIL

### BESLUX BLANCO CADENAS




Food grade oil with PTFE, specially designed for the safe and easy lubrication of chains and mechanisms where a spontaneous contact with food can occur. It ensures a low wear without any contamination possibility. It is temperature and water resistant.

520 ml spray

OIL

### BESLUX RAMCA 220



Lubricating synthetic oil for chain systems and high temperature exposed guides (up to 230°C). It's an excellent wear protector and also, very good lubricating properties in presence of pollutants. They provide a good drag and introduction effect. It keeps chains, guides, and movement rails clean.

520 ml spray

OIL

### BESLUX CAMIN 150 WR



Sticky, water repellent mineral oil, for chain, open gear, guide and general mechanisms lubrication. Its great lubricant properties avoid chain enlargement increasing their product life. Excellent corrosion and wear protector.

520 ml / 1.000 ml spray

OIL

### BESLUX KTS



Colorless synthetic oil that has an excellent lubricant-cleaning balance property in high revolution mechanisms. Ideal for knitting machines, spindle screws, and high revolution mechanisms in a -30 a 110°C temperature range.

520 ml spray

OIL

### BESLUX FLUOR LIQ



Special multipurpose synthesis oil with PTFE for general lubrication, special use in the food industry. It is ideal when lubricating points that require a clean white odorless oil. Prevents corrosion and dirt in humid, aggressive and dirty atmospheres. It has remarkable penetrating and dielectric properties.

520 ml spray

OIL



## LUBRICANTS

### BESSIL F-100



Food grade silicone oil for mechanisms working at high temperatures, in presence of water, with polluting agents and require a special lubricant that can have spontaneous contact with food. Ideal as a smoothening agent in packaging transport processes or in unmolding plastic operations.

335 ml spray

OIL

### DENSOLINA RVTH



Paraffin food grade oil with excellent lubricating properties. It has good stickiness and adherence. Ideal for those applications where spontaneous contact with food may happen. It provides a clean lubrication and non-toxic.

335 ml spray

OIL

### BESLUX CABLES



Excellent performing grease for cable lubrication and protection. Penetrates between wires lubricating and protecting them from corrosion in very harsh conditions. Highly water and temperature resistant. They prevent blocking and wear. Keeps the cable free from dust and dirt.

520 ml spray

GREASE

### BESLUX ENGRANAJES ABIERTOS



Lubrication grease for all kind of open gears, dented crowns, cables and others. Water, high temperature and heavy weight resistant. Protects from burning wear and corrosion. It is easy to apply, and there is no real need of doing maintenance stops.

520 ml spray

GREASE

### BRADOL CADENAS



White fluid sticky grease, with great chain anti-wear properties, does not drip. They increase chain's product life and assure the lowest wear speed. Ideal motorcycle transmission chains, industrial chains, other joints and general mechanisms.

335 ml spray

GREASE

### BRADOL CADENAS PLUS



White fluid grease with high content of PTFE, with high anti-wear properties, very sticky and does not drip. Specially designed for chain lubrication, as well as motorcycle transmission chains, high revolution kart chains, quad transmission chains and small communicating chains and industrial joints.

520 ml spray

GREASE

### BESLUX GRASA SPRAY AD



Very high lubricating grease, is extremely sticky and has excellent resistance to mechanical loads. Specially designed for mechanisms exposed to heavy loads or high centrifuge force. Provides high performance and duration lubrication. Ideal for all kind of open gears.

520 ml spray

GREASE

### BESLUX GRASA SPRAY PLEX 778A



Very high performance multipurpose lubricant grease for small and medium mechanisms that work at medium or high speeds without losing lubricant properties. Provides a long life lubrication with a wide working temperature range (-55 a 150°C) y and speed factor (up to 10<sup>6</sup>).

520 ml spray

GREASE



## LUBRICANTES

### BESLUX GRASA SPRAY UNIVERSAL



Synthetic food grade grease with PTFE ideal for lubricating mechanisms exposed to loads and a humid atmosphere, and that might also have a spontaneous contact with food. It has excellent lubrication qualities and is highly water resistant.

520 ml spray

**GREASE**

### BESLUX MOLY SPRAY



Anti-seize molybdenum bisulfate lubricant, high temperature (dry lubrication up to 450°C) and strong pressure resistant. Ideal for spindle, guides, screws, sliders, axis, bolts y difficult access mechanism lubrication.

520 ml spray

**GREASE**

### BESLUX FLUOR TF SPRAY



Lubricant and unmolding agent of dry film with PTFE. Provides an excellent dry multi-purpose lubrication. Performs as high technology anti-seize, capable of unmolding all kind of plastics, rubbers or elastomers. Ideal for precision equipment, textile machinery, and all kind of delicate mechanisms.

520 ml spray

**DRY FILM**

### BESLUX ANTISEIZE SPRAY



Copper unblocking, anti-corrosive and conductor paste. Ideal for protection of screws, bolts, threaded joints and endless screws, as well as, hydraulic and pneumatic hammer lubricating. Special for high temperature, corrosion, block and excoriation use.

520 ml spray

**DRY FILM**





## UNMOLDING / PROCESSES / PROTECTIVE / ANTI-ADHERENT

### BESLUX DESMOLDEANTE DEX-4



Unmolding high performance silicone intended for all plastic; a thin layer of product creates an un-molding high resistant and durable film. It also works as anti-seize in a welding process, avoiding spilling and leaks on working tools or near working areas.

520 ml spray

UNMOLDING

### BRUSIL



Silicone un-molding for all kind of plastics and rubber, it is also anti-seize for welding and others. The Silicone film that creates is non-toxic and resists very high temperature. More possibilities for other applications such as vinyl ceiling shining.

520 ml spray

UNMOLDING

### BESLUX SOLDADURA



Anti-spatter of welding projections, silicone free. Ideal for welding operations with inert gas in automatic and non-automatic machines. Avoids sticking of the melted metal projections on near working areas, helping its removal with a cloth or brush. It increases nozzle life.

520 ml spray

WELDING

### BESLUX WELD APS 130



Anti-spatter of welding projections, silicone free. Non-flammable and biodegradable. Avoids nearby accumulation of non-useful projection particles, that arise from torch welding. The working area remains clean of pollutant agents. Provides an excellent anticorrosive protection for surfaces and treated devices.

520 ml spray

WELDING

### BRADOL LIMPIA MOTOR



Low toxicity degreasing agent with low aromatic content. It is ideal for grease removal and other dirt that stick to parts. It can be used with a gun, immersion or brush. Quick degreasing and water washable.

520 ml spray

DEGREASING

### BRADOL TOP CLEANER



Excellent degreasing and grease, oil, bitumen and other dirt cleaner. Ideal for brakes, carburetors (difficult or thin access) and other general electrical contacts (spark plugs, switches).

520 ml spray

DEGREASING

### BESLUX RK PELABLE



Special anticorrosive protecting varnish that can be peeled for all kind of molds and plastics. Generally, used for the conservation of all kind of metal material during its production, storage or transport.

520 ml spray

ANTICORROSIVE

### BESLUX ANTI-HUMEDAD




Humidity and corrosion multi-surface, mold and part protector. Ideal for mold protection and mechanized parts during storage. It is also useful against finger print corrosion. It can be removed easily with whichever dissolvent even though, it is not needed when assembling parts or molds.

520 ml spray

ANTICORROSIVE

# Brugarolas



Automotive industry



Steel industry



Railway industry



Wind mills




Mining




Paper industry




Cartridges of grease



Beslux Sulplex greases




Fluorinated greases



Biogrease lubricants



Antinoise lubricants




Assembly pastes



Valves and taps



Wire ropes



Open gears



Elastomers



Gearboxes



Electric motors

# Brugarolas



BRUGAROLAS, S.A.

Camino de la Riera 36-44, Polígono Industrial Cova Solera  
08191 Rubí (Barcelona)  
Phone: +34 93 588 31 00 // Fax: +34 93 588 31 01  
E-mail: [comercial@brugarolas.com](mailto:comercial@brugarolas.com)  
Web: [www.brugarolas.com](http://www.brugarolas.com)

RSxf\_017M  
Version 01.16

