

Brugarolas



Industrial Lubricants



FORGING PRODUCTS



Industrial Lubricants

FORGING & HOT STAMPING products



Specific product range intended for hot metal working. Forge and extrusion for Steel, Copper and respective alloys.

The here stated products, result of a vast experience and cooperation process with customers in this field, hot metal deformation. From water soluble base graphite products to oil base graphite products

Moreover, non-graphite water soluble are also included, designed con componentes de última generación que mantienen el ambiente de trabajo limpio, sin generación de humos.


For other processes, such as hot aluminium extrusion and HPADC, a wide range of products are available in order to satisfy the strictest requirements of the industry.

Our helpful customer service may provide all the advise and indications needed in order to find the most suitable solution when working with hot metals.





OIL BASE GRAPHITE PRODUCTS



PRODUCT	APPEARANCE	APPLICATION	DOSAGE
BESTRIL 65 AG	Viscous black liquid	Hot Brass and Steel stamping	Do not dilute
BESTRIL 70 AG	Viscous black liquid	Hot Steel forge and extrusion.	Do not dilute
BESTRIL 70/40 AG	Viscous black liquid	Hot Steel forge and extrusion.	Do not dilute
BESTRIL 105 AG	Viscous black liquid	Hot Steel forge and extrusion.	Do not dilute
BESTRIL 255 AG	Viscous black liquid	Hot stamping, for special brass parts	Do not dilute



WATER BASE GRAPHITE PRODUCTS




PRODUCT	APPEARANCE	APPLICATION	DOSAGE
BESTRIL 45 WG	Black color gel	Hot Brass and Aluminium stamping. Water soluble product	10% until pure
BESTRIL 60 WG	Black color gel	Stainless Steel forge. Water soluble product	10% until pure
DORAX ELM-441/33	Black color gel	Hot Aluminium and Brass stamping.	Do not dilute



WATER BASE NON-GRAPHITE PRODUCTS

PRODUCT	APPEARANCE	APPLICATION	DOSAGE
BESTRIL 900	Colorless clear liquid	Warm Steel forging. Soluble water product..	10-50%
BESTRIL 960	Dark clear liquid	Hot copper tube extrusion. Warm Steel forging. Soluble water product.	10-50%
BESTRIL 970	Colorless clear liquid	Warm Steel forging. Soluble water product.	10-50%
BESPAST FLT-28	White color paste	Paste for stainless Steel forging. Does not transfer Carbon.	Do not dilute



OIL BASE NON-GRAPHITE PRODUCTS

PRODUCT	APPEARANCE	APPLICATION	DOSAGE
BESTRIL FOR-40	Amber liquid	Pure oil for hot brass stamping	Pure
BESTRIL 140	Amber liquid	Pure oil for continous casting Steel unmolding.	Pure